

図1




図2




図3




図4

酸化物	B
K <sub>2</sub> O	3.381
Na <sub>2</sub> O	2.349
Cu <sub>2</sub> O	2.326
Li <sub>2</sub> O	1.719
BaO	1.561
PbO	1.307
SrO	1.269
CaO	1.000
SnO	0.931
FeO	0.723
ZnO	0.723
CuO	0.703
MgO	0.641
Bi <sub>2</sub> O <sub>3</sub>	0.512
Fe <sub>2</sub> O <sub>3</sub>	0.282
Ga <sub>2</sub> O <sub>3</sub>	0.269
Al <sub>2</sub> O <sub>3</sub>	0.198
ZrO <sub>2</sub>	0.190
SnO <sub>2</sub>	0.148
TiO <sub>2</sub>	0.133
TeO <sub>2</sub>	0.078
GeO <sub>2</sub>	0.045
B <sub>2</sub> O <sub>3</sub>	0.026
SiO <sub>2</sub>	0.000
P <sub>2</sub> O <sub>5</sub>	-0.103

図5




図6

A	B	C	D	E	F	G	H	I
0.01	0.01	0.01	0.30	0.16	0.14	0.30	0.41	0.21




図8A




図8B




FIG. 9




图10

